

NewTechWood[®]

CLADDING TRIMS

Technical Specifications


V06/2025



OUTLINE

<i>SPECIFICATION</i>	3	<i>APPLICATION</i>	18
Material	3	Vertical Installation (13mm)	18
Colours Available	4	Horizontal Installation (13mm)	19
Classification of Trims	8	Vertical Installation (25mm)	20
Sizes of Trims	9	Horizontal Installation (25mm)	21
<i>INSTALLATION</i>	12	<i>GALLERY</i>	22
Vertical	12		
Horizontal	13		
Vertical for Window	15		
Horizontal for Window	17		

SPECIFICATION - Material



SPECIFICATION - Colours Available, Shadowline Cladding US31 / US31SS



Sea Salt
(SS)



Blackbutt
(BB)



Ipe
(IP)



Teak
(TK)



Ebony
(EB)
Shou Shugi Ban

SPECIFICATION - Colours Available, Castellated Cladding UH58 (50mm Rib)



Blackbutt
(BB)



Teak
(TK)



Aged Wood
(AW)



Ebony
(EB)

SPECIFICATION - Colours Available, Castellated Cladding UH61 (25mm Rib)



Canadian Cedar
(CC)



Ipe
(IP)



Ebony
(EB)

SPECIFICATION - Colours Available, Castellation Cladding UH93 (25-43mm Rib)



Sea Salt
(SS)




Blackbutt
(BB)















Ipe
(IP)

SPECIFICATION - Classification of Trims













Description	End Trim	Outside Corner Trim	Inside Corner Trim	Butt Joint Trim
Where to use	Outermost Edge	Outside Corner	Inside Corner	Butt Joint Installation
Picture				

Name	Flashing	J Trim Perforated (For 13mm Board)	J Trim Perforated (For 25mm Board)	J Trim Non-Perforated (For Fascia Board)
Where to use	<ul style="list-style-type: none"> • Window Head • Window Sill • Butt Joint 	Bottom of the Cladding Panel	Bottom of the Cladding Panel	Window Side
Picture				






SPECIFICATION - Size of Trims for 13mm Thickness Cladding Board

Cladding Board Thickness (Shadowline and Shou Sugi Ban)	Item	End Trim Mill Finish Base & Cover Kit for US31	Inside Corner Trim Mill Finish Base & Cover Kit for US31	Outside Corner Trim Mill Finish Base & Cover Kit for US31	Butt Joint Trim Mill Finish Base & Cover Kit for US31
(13mm)	Cover				
	Coding	CA48	CA50	CA51	CA49
	Base				
	Coding	AA44	AA46	AA47	AA45
	Assembly				
		CA48AA44ZX	CA50AA46ZX	CA51AA47ZX	CA49AA45ZX

SPECIFICATION - Size of Trims for 25mm Thickness Cladding Board

Cladding Board Thickness	Item	End Trim Mill Finish Base & Cover Kit for UH61 / UH58 / UH93	Inside Corner Trim Mill Finish Base & Cover Kit for UH61 / UH58 / UH93	Outside Corner Trim Mill Finish Base & Cover Kit for UH61 / UH58 / UH93	Butt Joint Trim Mill Finish Base & Cover Kit for UH61 / UH58 / UH93
(25mm)	Cover				
	Coding	CA63	CA50	CA51	CA49
	Base				
	Coding	AA44	AA61	AA62	AA60
	Assembly				
		CA63AA44ZX	CA50AA61ZX	CA51AA62ZX	CA49AA60ZX

SPECIFICATION - Size of Window Trims

Flashing	J-Trim Perforated For US31	J-Trim Non-Perforated For US31	J-Trim Perforated For UH61 / UH58 / UH93	J-Trim Non-Perforated For UH61 / UH58 / UH93
				
CA41	CA42	CA42B	CA43	CA43B


INSTALLATION - Vertical



Side View



Front View




INSTALLATION - Horizontal



Side View




Front View




Cross-sectional View

INSTALLATION - Vertical for Window




Joists Layout

A-1:
The span is at a max. of 500mm.




A-1

A-2/A-3:
Reserve space for installing edge banding panels




A-2





A-3

A-4:
The window head and sill joist width is at a min. of 100 mm. Its length is longer than the window frame at a distance of 80mm.




A-4

INSTALLATION - Vertical for Window




INSTALLATION - Horizontal for Window




Joists Layout

B-1:
The span is at a max. of 500mm




B-1

B-2/B-3:
Reserve space for installing edge banding panels




B-2





B-3

B-4:
The window head and sill joist width is at a min. of 100 mm. Its length is longer than the window jamb at a distance of 80mm




B-4


INSTALLATION - Horizontal for Window




APPLICATION - Vertical Installation for 13mm Cladding Board




Outside Corner
(Outside Corner Trim)



Inside Corner
(Inside Corner Trim)




Outermost Edge
End Trim




Butt-Joint
Butt-Joint Trim




APPLICATION - Horizontal Installation for 13mm Cladding Board




Outside Corner
(Outside Corner Trim)






Inside Corner
(Inside Corner Trim)




Outermost Edge
End Trim



Butt-Joint
Butt-Joint Trim




APPLICATION - Vertical Installation for 25mm Cladding Board




Outside Corner
(Outside Corner Trim)




Inside Corner
(Inside Corner Trim)




Outermost Edge
End Trim




Butt-Joint
Butt-Joint Trim




APPLICATION - Horizontal Installation for 25mm Cladding Board




Outside Corner
(Outside Corner Trim)







Inside Corner
(Inside Corner Trim)



Outermost Edge
End Trim



Butt-Joint
Butt-Joint Trim



GALLERY

