

# SAFETY DATA SHEET

## WATER BASED BITUMEN WATERPROOFING MEMBRANE

Infosafe No.: HXR7L  
ISSUED Date : 10/03/2023  
ISSUED by: BONDALL PTY LTD

### Section 1 - Identification

#### Product Identifier

WATER BASED BITUMEN WATERPROOFING MEMBRANE

#### Product Code

#### Company Name

BONDALL PTY LTD (ABN 27 008 734 996)

#### Address

Australia:

Unit 2, 115 Belmont Avenue,  
Belmont, WA 6104

===

New Zealand:

Owens Logistics,  
3-5 Kahu Street,  
Otahuhu, Auckland 2024

#### Telephone/Fax Number

Tel: Australia: +61 (8)6272 3800 / New Zealand: 0800 474 773

Fax: +61 (8)9277 4068

#### Emergency Phone Number

AU: 1800 638 556, NZ: 0800 154 666

#### Recommended use of the chemical and restrictions on use

To provide a waterproof exterior membrane for limestone, concrete, stone, brick or cementitious substrates.

### Section 2 - Hazard(s) Identification

#### GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Sensitisation - skin: Category 1A

Hazardous to the Aquatic Environment - Acute Hazard: Category 3

#### Signal Word (s)

WARNING

#### Hazard Statement (s)

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

#### Pictogram (s)

Exclamation mark



### Precautionary Statement – Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statement – Response

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

### Precautionary Statement – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

## Section 3 - Composition and Information on Ingredients

### Ingredients

Name	CAS	Proportion
Bitumen Emulsion		60-80 %
Water		40-50 %
1,2-benzisothiazol-3(2H)-one	2634-33-5	0.0527 %
2-Methyl-2H-isothiazol-3-one (MIT)	2682-20-4	0.0042 %
reaction mass of: 5-chloro-2-methyl-4-isothiazol in-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	0.0002 %
Ingredients determined not to be hazardous		Balance

## Section 4 - First Aid Measures

### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

### Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

### Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

### First Aid Facilities

Eyewash and normal washroom facilities.

### Advice to Doctor

Treat symptomatically.

### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

## Section 5 - Firefighting Measures

### Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam, water mist or water spray.

### Unsuitable Extinguishing Media

Do not use water jet.

### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

### **Specific hazards arising from the chemical**

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

### **Decomposition Temperature**

Not available

### **Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

## **Section 6 - Accidental Release Measures**

---

### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. As a water based product, if spilt on electrical equipment the product will cause short-circuits.

## **Section 7 - Handling and Storage**

---

### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

### **Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing.

## **Section 8 - Exposure Controls and Personal Protection**

---

### **Occupational exposure limit values**

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Bitumen emulsions:

TWA: 5mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Source: Safe Work Australia

### **Biological Monitoring**

No biological limits allocated

### **Control Banding**

Not available

### **Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.

### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### Eye and Face Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

### Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

### Thermal Hazards

No further relevant information available.

### Body Protection

Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Liquid	Appearance	Brown viscous liquid.
Colour	Brown	Odour	Not available
Melting Point	0°C (Water)	Boiling Point	100°C (Water)
Decomposition Temperature	Not available	Solubility in Water	Miscible
Specific Gravity	1.02	pH	7.25 (approximate)
Vapour Pressure	Not available	Relative Vapour Density (Air=1)	Not available
Evaporation Rate	Not available	Odour Threshold	Not available
Viscosity	Not available	Partition Coefficient: n-octanol/water (log value)	Not available
Flash Point	Not applicable	Flammability	Non-combustible aqueous
Auto-Ignition Temperature	Not applicable	Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable	Oxidising Properties	Not available
Particle Size	Not available		

## Section 10 - Stability and Reactivity

### Reactivity

Reacts with incompatible materials.

### Chemical Stability

Stable under normal conditions of storage and handling.

### Possibility of hazardous reactions

Not available

### Conditions to Avoid

Extremes of temperature and direct sunlight. Protect from freezing.

### Incompatible Materials

Strong oxidising agents.

### Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide.

### Hazardous Polymerization

Will not occur.

## Section 11 - Toxicological Information

### Toxicology Information

No toxicity data available for this material.

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

**Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

**Skin**

May be irritating to skin. The symptoms may include redness, itching and swelling. May cause an allergic skin reaction.

**Eye**

May be irritating to eyes. The symptoms may include redness, itching and tearing.

**Respiratory Sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

May cause an allergic skin reaction.

**Germ Cell Mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT - Single Exposure**

Not expected to cause toxicity to a specific target organ.

**STOT - Repeated Exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

## Section 12 - Ecological Information

---

**Ecotoxicity**

Harmful to aquatic life.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

**Hazardous to the Ozone Layer**

This product is not expected to deplete the ozone layer.

## Section 13 - Disposal Considerations

---

**Disposal Considerations**

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. To minimise personal exposure, refer to Section 8 - Exposure Controls and Personal Protection.

## Section 14 - Transport Information

---

### Transport Information

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### UN Number

None Allocated

### Proper Shipping Name

None Allocated

### Transport Hazard Class

None Allocated

### Special Precautions for User

Not available

### IMDG Marine pollutant

No

### Transport in Bulk

Not available

## Section 15 - Regulatory Information

---

### Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

### Montreal Protocol

Not listed

### Stockholm Convention

Not listed

### Rotterdam Convention

Not listed

### International Convention for the Prevention of Pollution from Ships (MARPOL)

Not available

### Agricultural and Veterinary Chemicals Act 1994

Not available

### Basel Convention

Not available

## Section 16 - Any Other Relevant Information

---

### Date of Preparation

SDS reviewed: March 2023

Supersedes: March 2020

### Version Number

4.0

## Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.  
Standard for the Uniform Scheduling of Medicines and Poisons.  
Australian Code for the Transport of Dangerous Goods by Road & Rail.  
Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.  
Code of Practice for Supply Diversion into Illicit Drug Manufacture.  
National Code of Practice for Chemicals of Security Concern.  
Agricultural Compounds and Veterinary Chemicals Act.  
International Agency for Research on Cancer (IARC) Monographs.  
Montreal Protocol on Substances that Deplete the Ozone Layer.  
Stockholm Convention on Persistent Organic Pollutants (POPs).  
Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.  
Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.  
International Air Transport Association (IATA) Dangerous Goods Regulations.  
International Maritime Dangerous Goods (IMDG) Code.  
Workplace exposure standards for airborne contaminants.  
Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).  
Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition).  
Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

## Contact Person/Point

Emergency Phone Number (24h)

AU: 1800 638 556, NZ: 0800 154 666

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.